uniden Bearcat

BC125AT

- 29 - 30 Ham Band 10 M
- 30 - 50 VHF Low
- 50 - 54 Ham Band 6 M
- 108-137 Aircraft
- 137-144 Federal Gov't
- 144-148 Ham Band 2 M
- 148-174 VHF High Band
- 225-380 Mil. Aircraft
- 400-420 Federal Gov't
- 420-450 Ham Band 70 Cm
- 450-470 UHF Band
- 470-512 UHF "T" Band

The **Bearcat BC125AT** is an affordable 500 channel, ten bank scanner with great features. Frequency coverage is 25-54,108-174,225-380, and 400-512 MHz. It has Uniden's new Close Call™ RF Capture Technology that instantly tunes to signals from nearby transmitters. The Priority Scan function scans the channels you have designated as priority channels. The Delay function helps prevent missed replies during 2-way conversations. There are ten service banks with preset frequencies for: Police, Fire/Emergency, Ham, Marine, Railroad, Civil Air, Military Air, CB Radio, FRS/GMRS/MURS and Racing. The backlit LCD display makes for easy night time operation. Operates from two AA cells (not supplied). Use alkalines for long life or rechargeables for economy. Comes with: AC adapter, belt clip, flexible BNC antenna and Owner's Manual.

List $179.95 *Order #0125* **$129.95**

uniden Bearcat

BC345CRS

The **Uniden Bearcat BC345CRS** is your perfect bed side companion, covering VHF-Low, Commercial Air, VHF-High, Military Air Band and the UHF (406-512) band. Plus it gets regular AM and FM. Enjoy 500 scanning channels in ten banks plus10 for AM and 20 for FM. There is an alarm clock. Service search allows quick access to common police, fire, ambulance, aircraft, amateur radio, and marine radio frequencies. The controls on the BC345CRS are easy to use and the backlit display is very readable, even at night. External jacks on the rear panel include: BNC antenna jack, AM antenna terminals, earphone jack and external power. The BC345CRS comes with: AC adapter, telescopic antenna, AM Loop antenna and Owner's Manual. Insert three AA alkaline cells (not provided) for power backup. Size: 8.25 x 6.125 x 3.125".

List $139.99 *Order #6042* **$99.95**

Using a scanner in a vehicle is restricted in some states.

uniden Bearcat

BC75XLT

- 29 - 30 Ham Band 10 M
- 30 - 50 VHF Low
- 50 - 54 Ham Band 6 M
- 108-137 Aircraft
- 137-144 Federal Gov't
- 144-148 Ham Band 2 M
- 148-174 VHF High Band
- 406-420 Federal Gov't
- 420-450 Ham Band 70 Cm
- 450-470 UHF Band
- 470-512 UHF "T" Band

The **Bearcat BC75XLT** 300 channel (10x30) scanner is a great value. Frequency coverage is 25-54, 108-174, and 406-512 MHz. It has Uniden's Close Call® RF Capture Technology that instantly tunes to signals from nearby transmitters. The Priority Scan function scans the channels you have designated as priority channels. The Delay function helps prevent missed replies. There are ten service banks with preset frequencies for: weather, police, fire/emergency, marine, racing, civil aircraft, amateur radio, railroad, CB and other (FRS/GMRS/MURS). Other features include keypad entry, earphone jack, key lock, battery low alert, battery save and backlit LCD display. Operation is from two AA cells (not included) providing flexibility in choice of batteries: Alkaline for long life or rechargeable NiMH batteries for economy. It is important that you select the correct battery type via the slide switch in the battery compartment. NiMH type batteries can charge while in the scanner. NiMH AA batteries may be charged from a USB power source (such as a PC) or the optional USB AC adapter via the included USB cable. The BC75XLT comes with: belt clip, flexible BNC antenna, USB charging cable and printed Owner's Manual.

List $139.95 *Order #3075* **$99.95**

uniden

BC355N

The **Uniden Bearcat BC355N** is a scanner covering 13 preset search bands including VHF Air and the 800 MHz Public Service band. It is preprogrammed and is user programmable. It has six preprogrammed service bands plus 300 user-programmable private channels. Advanced features include: Turbo Search, one-touch weather, channel lockout and narrowband channels. The rear panel has a BNC antenna jack and a 3.5mm mini external speaker jack. The bottom of the radio has a flip-out tilt-stand. This radio comes with: BNC type telescopic antenna, wire window antenna with suction cups, AC adapter, cigarette lighter DC power cord, *Operating Guide* and mounting bracket. 5.4 x 1.7 x 5.75" 1 lb. 6.5 oz.

List $149.99 *Order #2355* **$104.95**

uniden Bearcat

BC346XTC

- 29 - 30 Ham Band 10 M
- 30 - 50 VHF Low
- 50 - 54 Ham Band 6 M
- 108-137 Aircraft
- 137-144 Federal Gov't
- 144-148 Ham Band 2 M
- 148-174 VHF High Band
- 406-420 Federal Gov't
- 420-450 Ham Band 70 Cm
- 450-470 UHF Band
- 470-512 UHF "T" Band
- 806-956 800 MHz Band (less cellular)
- 1240-1300 Ham Band

The **Bearcat BC346XTC** features third generation TrunkTracking III technology supporting Motorola Systems Type I, II, II/I (hybrid), EDACS Systems FM, NFM, and SCAT plus LTR Systems. The BC346XTC has many innovative features including Uniden's exclusive Close Call™ RF Capture Technology and there is EDACS ESK support. The BC346XTC uses a dynamically allocated memory system, allowing the user to program up to 9000 channels. While traditional scanners have been limited to only ten banks, the BC346XTC groups channels into systems, allowing for up to 500 systems to be programmed and scanned simultaneously. Systems can still be quickly enabled or disabled using the 0-9 keys, and each system can have up to 10 groups of channels that are also available for quick selection. Uniden's exclusive Close Call™ RF Capture Technology zeroes in on nearby transmissions without the need for programming, even when the BC346XTC is in other modes, scanning, searching or holding on a frequency. You get VHF low, VHF High, VHF Air, UHF, 800 MHz Public Service (less cellular) and even the 1.24-1.3 GHz amateur radio ham band. Other refinements include: a 64 x 128 full dot matrix LCD, SAME weather alert, backlit display, CTCSS/DCS rapid decode. There is a GPS/Remote Interface Jack (4pin mini type). This supports GPS for location-based scanning, location alerts and crows-flight navigation (GPS not supplied). Requires 3 alkaline AA cells (not included). Your BC346XTC comes with belt clip, SMA antenna, wrist strap, and *Owner's Manual* on CD. 5.35" x 2.4" x 1.22".

Order #2346 **Please Call**

KAITO ELECTRONICS INC.

KA12AIR

The **Kaito KA12AIR** lets you monitor the civil VHF air band (118-138 MHz) wherever you are! It also receives the FM broadcast band 76-108 MHz. This radio features a built-in clock, key lock and 100 station memories. Six tuning modes are available: manual, keypad, auto, ATS, memory, memory entry. Requires two AA batteries (not included) or can operate from 5-6 VDC. Comes with: earbuds, wrist strap/clip stand. 4.4 x 2.8 x 0.8 inches.

List $66.00 *Order #5012* **$44.95**

BCD396XT

The **Bearcat BCD396XT** with TrunkTracker IV™ technology, offers APCO 25 digital capability and also operates on analog systems. You also get Close Call™ RF Capture Technology, Dynamic Memory Management, Fire Tone-Out as well as 25,000 channels. Frequency coverage includes: 25-512, 764-776, 794-956 (excluding cellular), 1240-1300 MHz in AM/FM/NFM/WFM modes. Search steps are: 5, 6.25, 7.5, 8.33, 10, 12.5, 15, 20, 25, 50 and 100 kHz. There is a 64 x 128 full dot matrix LCD with multi-color back light. Also features: P25 One-Frequency Trunk, EDACS ESK support, Close Call Temporary Storage, Network Access Code support, temporary lockout, configurable start-up, individual channel volume offset, keysafe mode, priority ID scan on trunked systems, CTCSS/DCS and quick-access search keys. External jacks for: SMA antenna, headphone, DC power and 4 pin remote PC. This radio may be operated from either three NiMH (supplied) or alkaline (not supplied). Be sure to correctly set the battery-type switch when installing batteries. Includes: 3 NiMH AA cells, AD-1001 AC adapter, SMA rubber antenna, wrist strap, DB9 serial PC cable, belt clip, BNC/SMA adapter and *Owner's Manual* on CD. 2.4" x 1.22" x 5.35".

Order #4396 **Please Call**

USB1

The **Uniden USB1** is a USB cable that will be required if your PC does not have an RS232C serial port. It works with many Uniden scanners such as the BC246T, BCD396T/XT, BCD996T, SC230 and BCT15. The USB drivers are available on the Uniden website.

Order #4764 **$29.95**

GPS18xPC



The **Garmin GPS18xPC** is a GPS receiver for the Homepatrol. This high-sensitivity, 12-parallel-channel, WAAS-enabled GPS receiver comes with an integrated magnetic base. The puck-like receiver is 2.4 inches in diameter. Includes a cigarette lighter power cord. Your Homepatrol will know where it is and program itself accordingly.

Order #5696 **$109.95**

HOMEPATROL-I HOMEPATROL-II

The **Uniden Homepatrol I** introduced ease of use, performance and features previously not available. Programming is easy. Just enter your zip code into the color touch-screen and the HomePatrol searches within a 10 mile radius of the center of that zip code. Or enter the city, and the range is 20 miles from the center of the city. If you use the AutoLocate feature, that range increases to 30 miles. Use it as a base or portable unit, and coverage is great, tuning 25-54, 108-512 and 758-960 MHz (less cellular) in AM, FM and FM wide modes. TrunkTracking EDACS (N/W), LTR, Motorola (analog/mixed/digital) and APCO P25 are supported. If you have a compatible GPS (not included), this radio will even know where it is and have the appropriate frequencies available. A micro SD card is included to store your favorite frequencies. The Replay feature instantly replays the transmissions you just heard (30 to 240 seconds). The Record function allows recording longer intercepts for later review. Although the initial set-up is very easy and automated, you can also use a configuration menu to fine tune the radio to your preferences. The Homepatrol comes with: *Quick Reference Guide,* SMA antenna, AC adapter, car adapter, base stand, computer cable and 4 rechargeable NiMH AA cells. The *Sentinel* software and *Owner's Manual* can be downloaded from the Uniden website. 5.9 x 3.3 x 1.5" 10.6 oz.

List $549.99 *Order #0738* **Please Call**

The **Homepatrol II** adds APCO 25 Phase2 capability and is recharged exclusively via the USB port. (AC and car adapter are *not* included).

List $649.99 *Order #6420* **Please Call**

BCKHP-1

The **Uniden BCKHP-1** is a simple plastic bracket designed to hold the Uniden Homepatrol-I/II. It features two mounting holes and includes nuts and bolts.

Order #1404 **$13.95**

WBHP-1

The **Uniden WBHP-1** is a suction type windshield mounting kit for the Homepatrols. This kit includes the BCKHP-1 and hardware, although not shown above.

Order #3924 **$39.95**

BCT15X

The **Uniden Bearcat BCT15X** is a GPS-enabled scanner that automatically selects nearby radio systems for scanning (GPS not supplied). The BCT15X also offers Uniden's unique BearTracker system, which alerts mobile users to public safety activity in their area as well as Close Call® RF Capture Technology that automatically locks onto nearby signals with no programming necessary. The GPS-enabled feature offered by the BCT15X provides automatic system selection, which permits the scanner to turn system reception on or off depending on the user's location, and allows the user to customize the scanner display to show location-based information. In addition, when a GPS unit (not included with this scanner) is connected to the BCT15X, the scanner will send alerts at areas of special interest, such as dangerous intersections, school zones, or general points of interest. This model supports TrunkTracker III systems: Motorola Type I/II/IIi Hybrid, EDACS and LTR analog trunk systems. It features 9000 channels. Please note that the BCT15X does *not* have TrunkTrackerIV or APCO 25 capability. Comes with: AD-1009 AC Adapter, Cigarette Lighter Cord, DC power cord, mounting bracket, push-on telescopic BNC antenna, PC serial cable and Manual on CD. 7.25 x 2.2 x 6.06 in. 3.5 lbs.

List $299.95 *Order #0015* **$199.95**

BCD996P2

The **Uniden Bearcat BCD996P2** is a state-of-the-art scanner radio with Trunk Tracker V™ and automatic scanning capabilities. This is a GPS-enabled scanner (GPS not supplied), allowing the radio to automatically select nearby radio systems for scanning. The BCD996P2 also offers APCO 25 Phase I *and* Phase II digital capability, allowing consumers to monitor the activities and signals of city and government service departments. It also offers Close Call™ RF Capture Technology, Dynamic Memory Management, Fire Tone-Out, and Multi-site programming as well as 25,000 channels and a frequency range of 25 MHz to 1.3 GHz (excluding cellular). Other enhancements include band scope function, Narrow band reception, Crows-Flight Navigation (with optional GPS), IF Exchange, backlit keys and display, NAC decoding, Key safe mode and channel alert (tones and backlight color). Included items: AC adapter, DC cord harness, mounting bracket, telescopic antenna, USB cable and manual.

List $699.95 *Order #4996* **Please Call**

uniden BCD536HP

The **Bearcat BCD536HP** is Uniden's new flagship mobile scanner - which incorporates two firsts. Like the BCD436HP, it is the first mobile scanner to include the ease of use of the HomePatrol-style database. Simply enter your zip code. The second innovation is WiFi connectivity. Listen to and control your scanner using your smartphone or tablet. Other features include:
A supplied **4 Gigabyte microSD** card holds the USA and Canada database and leaves room for hundreds of hours of audio recording.
Programmable Alert LED lets you set a specific color to alert you when a channel becomes active.
TrunkTracker V with support for APCO Project 25 Phase I and Phase II, X2-TDMA, Motorola, EDACS, and LTR Trunked Radio Systems.
Quick Key access to 100 Favorites Lists.
Discovery Modes helps you find new channels on trunked systems and frequency ranges.
Analysis Modes include Band Scope, RF Power Plot, Trunked System Analysis, and EDACS/LTR LCN Finder.
Flexible Easy Channel Selection using Zip Code or GPS. Pick the kinds of channels you want to hear and tell the radio where you are.
Easy Scan Control using the dedicated System, Department and Channel Hold buttons.
Complete Front-Panel Programmability — create custom Favorites Lists.
Temporary Avoid lets you quickly silence unwanted systems, departments, or channels.
Backlight-on-Squelch option allows the backlight to remain on during an entire transmission.
Date/Time indication on display with time stamping for recordings.
Close Call® RF Capture automatically tunes the scanner to nearby transmissions.
NOAA Weather Alert with SAME.
Two-Tone Paging with up to 32 tone slots.
USB PC Connectivity.
Serial GPS input for location-based scanning.
List $699.95 *Order #4536* **Please Call**

GO-BAG

This insulated bag is a great way to protect your scanner. There is plenty of room for your radio, batteries, accessories, directories and more. The top is zippered and it has a carry strap plus an open pocket on the front panel, a webbed pocket under the top cover and a webbed side pocket. 8 x 6 x 5 inches. Blue with Universal Radio logo.
Universal Go-Bag *Order #5733* **$7.95**

uniden BCD436HP

The **Bearcat BCD436HP** with TrunkTracker V™ technology, offers APCO Project 25 Phase I and Phase II, X2-TDMA, Motorola, EDACS, and LTR Trunked Radio Systems. It shares some of the innovative features of the Homepatrol such as Zip Code programming and bandscope display. The included 4 GB SD card includes the USA/Canada frequency database. You get full 31 band frequency coverage. External jacks are provided for: SMA 50 ohm antenna, 3.5 mm headphone (not provided), USB. This radio may be operated from either three NiMH (supplied) or alkaline (not supplied). The BCD436HP includes: three NiMH AA cells, SMA-BNC adapter, microSD card (installed), SMA rubber antenna, wrist strap, USB PC cable, belt clip and printed Owner's Manual.
Order #0436 **Please Call**

uniden BC-GPSK

The **Uniden BC-GPSK** serial GPS receiver provides a simple solution to connecting a GPS to your Uniden location-based scanner or other NMEA-compatible device. This high-sensitivity, WAAS capable unit provides industry-standard NMEA 0183 output. This compact GPS design includes a magnetic base to easily secure to your vehicle. It includes a cigarette lighter power cord. Its weatherproof design allows outside mounting for best satellite signal reception. This device will continually tell your scanner where it is, so it may select the appropriate frequencies for the area you are passing through. Great for long car trips.

Please note that if you are using this GPS unit with the BCD436HP or other compatible hand-held Uniden scanner, you will also need to purchase the BWZG1844001 cable, sold separately (see below).
Uniden BC-GPSK *Order #6349* **$89.95**

Uniden GPS to scanner cable.
BWZG1844001 *Order #2620* **$19.95**

REFERENCE MANUALS

Please see page 112 for *Easier To Read Manuals*
Please see page 125 for *Nifty Mini-Manuals* and *Nifty Reference Cards*.

SPECTRUMFORCE

The **Spectrum-Force Base Scanner Mounts** are built with strong sheet-metal, allowing you to attractively mount and display one or two base or base/mobile scanners that are approximately 7 to 7.5" wide. You can mount any combination of the following Uniden Bearcat Scanners: 760, 780, 785, 796, BCT15, BCD996T, GRE PSR400 and PSR600, Whistler WS1065 and a variety of Radio Shack models including the Pro2053 and Pro2096 and similar models.

2 Base Radios	*Order #2354*	**$59.95**
3 Base Radios	*Order #2479*	**69.95**
4 Base Radios	*Order #5886*	**79.95**

✔ Please see **Scanner Antennas** on pages 47-48.
Using a scanner in a vehicle is restricted in some states.

WHISTLER WS1095

The **Whistler WS1095** scanner will offer amazing capability along with ease of use. The expected frequency coverage is: 25-54, 108-136.99, 137-174, 216-512, 764-781.99, 791-798.99, 806-960 (excluding cellular bands) and 1240-1300 MHz. This radio comes with a 2GB SD card preloaded with US and Canadian public service frequencies. You automatically program your scanner by merely entering your zip code or city. It handles analog and digital systems including APCO 25. One interesting feature of this radio is the remoteable head. And it magnetically fastens to the head bracket! This facilitates vehicle installation and use. Other features include: Simple menu driven user interface, Preloaded MicroSD card included, Easy updating via Internet, APCO P25 Digital, Multi-system analog trunking (Motorola, EDACS and LTR), CTCSS and DCS subaudible decoder, SAME Weather Alerts, Service search, User upgradable CPU firmware and Spectrum Sweeper. This new model is expected Dec. 2015.
Order #1095

This device has not been approved by the F.C.C.
This device may not be offered for sale or lease or be sold or leased until approval of the F.C.C. has been obtained.

WHISTLER WS1010



The **Whistler WS1010** is an affordable handheld scanner with innovative features. Frequency coverage is: 29-54, 108-137, 137-144, 144-148, 148-150.8, 150.8-162, 162-174 and 380-512 MHz. 200 memories and five pre-programmed bands (Marine, Fire/Police, Air, Amateur and Weather). There is also a built-in priority channel. The weather alert capability features SAME receiving with 10 FIPS area memories plus there is a Skywarn function. There is a lock-out review key to confirm lock frequencies. There is a key lock for safety and the LCD is backlit. This radio is PC programmable and supports unit-to-unit cloning. There is a 9VDC external power jack and an earphone jack. The WS-1010 comes with a flexible BNC antenna, belt clip, AC adapter, manual, 4xAA alkaline battery holder *and* 4xAA rechargeable battery holder. 2.4 x 5.8 x 1.7 inches 8 oz.

List $139.95 *Order #1010* **$94.95**

WHISTLER WS1025

The **Whistler WS1025** is an affordable scanner with innovative features. Frequency coverage is: 29-54, 108-137, 137-144, 144-148, 148-150.8, 150.8-162, 162-174 and 380-512 MHz. You can also receive the FM broadcast band (which has 20 separate memories). Other features include: 200 memories and five pre-programmed bands (Marine, Fire/Police, Air, Amateur and Weather) and priority channel. The weather capability features SAME technology (with 8 FIPS area memories). This radio scans at 40 channels per second and sweeps at 80 steps per second. There is also a keypad for direct frequency entry. The large backlit display shows channel and frequency. This radio supports programming by a PC and unit-to-unit cloning (software not supplied). There is a 3.5 mm earphone jack and BNC external antenna jack on the rear panel. The WS1025 comes with a screw-in telescopic antenna, AC adapter and manual. 8.25 x 2.375 x 6.875 inches 24.7 oz.

List $139.95 *Order #5020* **$99.95**

WHISTLER WS1040



The **Whistler WS1040** employs an intuitive Object Oriented User Interface is designed for ease of use, yet powerful enough to satisfy the most sophisticated users. Frequency coverage is extensive including: 25-54, 108-174, 216-512, 764-824, 849-869, 896-960 and 1240-1300 MHz. 1800 memories may be dynamically structured to bank sizes you prefer. A sophisticated Service Search is featured. This model also employs V-Scanner Technology that allows you to save a complete radio configuration within the radio, for recall into main memory as needed in the field. You can store configurations for different geographical areas or usage styles. Twenty one Virtual-Scanner Folders are provided, each capable of storing over 1,800 objects. The WS1040 scans common trunked radio system including Motorola Analog, EDACS, LTR and Digital APCO (9600 bps). Talkgroup and individual call monitoring is supported. When monitoring P25 digital systems, the exclusive Automatic Adaptive Digital Tracking instantly adapts the digital decoder to the digital modulation format of the transmitted signal, then analyzes the signal over 50 times each second to adapte to changes caused by multipath or fading. CTCSS and DCS subaudible squelch coding is processed by the same powerful DSP chip that is used for P25 digital decoding. It provides fast and reliable decoding of subaudible squelch signaling with squelch tail elimination. The large backlit LCD is four lines by 16 characters. The keypad is also backlit. There are weather alert function, SAME technology and Skywarn features. The multi-colored, super bright LED can be programmed. For example; blue for police, red for fire, green for ham radio, etc. The SKYWARN Storm Spotter feature provides instant, one button access to frequencies used by storm spotter networks. The spectrum sweeper function seeks out nearby RF sources. Operates from four AA cells or included 9VDC AC adapter. Supplied accessories include: BNC antenna, USB PC cable, 9VDC AC adapter, printed Owner's Manual, belt clip and two battery cases (one for alklalines and a yellow one for rechargeables).

Order #1040 **$399.95**

CUSTOM SCANNER PROGRAMMING

Universal can custom program your scanner at time of purchase for your specific area. For cost and details call and ask for our Scanner Dept.

✔ Please see **Scanner Antennas** on pages 45-46.

WHISTLER WS1080

The **Whistler WS1080** allows you to listen to desired communications without PC or Internet programming because everything is already in the scanner! The scanner includes a 2GB SD card inside the radio with the entire US database of trunked systems and popular conventional frequencies so you can monitor local police/fire and emergency frequencies right out of the box. APCO P25 Digital and multisystem analog trunking (Motorola, EDACS and LTR) systems are supported. Frequency coverage includes: 25-54, 108-136.99, 137-174, 216-512, 764-781.99, 791-798.99, 806-960 (excluding cellular bands), 1240-1300 MHz. Frequency steps: 3.125, 5, 6.25, 7.5, 8.33, 10, 12.5 and 25 kHz. Operates from four AA cells (not included) or USB 5 VDC. Includes printed manual, quick start guide and USB data cable that can also be used to charge rechargeable AA cells (not included). Requires Windows 2000, XP, Vista or Windows 7. 2.3 x 5.3 x 1.3 inches 7.4 oz.

List $599.95 *Order #6080* **$479.95**

WHISTLER WS1065

The **Whistler WS1065** employs cutting edge technology to bring a high level of performance and innovative features. This model clearly raises the bar in the area of advanced trunking scanners. Frequency coverage is extensive including: 25-54, 108-17, 137-174, 216-512, 764-776, 795-805, 849-869, 896-960 and 1240-1300 MHz. The vast memory system can store 40744 objects in 20 dynamically allocated scan lists. The large backlit LCD is four lines by 16 characters. The keys are also backlit. Supported trunking systems include Motorola Analog, EDACS, LTR and Digital APCO (9600 bps). There is a weather alert function, SAME technology and Skywarn features. The spectrum sweeper function seeks out nearby RF sources. You also get an exclusive multicolor ALERT-LED that provides a visual indication of activity on selected channels or talkgroups. The Global Menu feature allows you to tweak operational parameters. Includes telescopic BNC antenna, AC adapter, 12 volt wiring harness, DIN-E vehicle mounting shell, USB PC cable and CD.

List $599.95 *Order #1065* **$399.95**